

Inline terminal - IB IL 120 PWR IN-PAC - 2861454

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Inline power terminal block, complete with accessories (connector and labeling field), without fuse, 120 V AC

Why buy this product

- Supplying the L phase (120 V AC)



Key commercial data

Packing unit	1 pc
GTIN	
Weight per Piece (excluding packing)	80.0 g
Custom tariff number	85369010
Country of origin	Germany
Note	Made to Order (non-returnable)

Technical data

Note

Utilization restriction	EMC: class A product, see manufacturer's declaration in the download area
-------------------------	---

Dimensions

Width	36.6 mm
Height	119.8 mm
Depth	71.5 mm

Interfaces

Connection method	Inline data jumper
Interface	Inline local bus

Power supply

I/O voltage	120 V AC
I/O voltage range	108 V AC ... 135 V AC (including all tolerances, including ripple)

Inline terminal - IB IL 120 PWR IN-PAC - 2861454

Technical data

Power supply

Max. current consumption	8 A
--------------------------	-----

General

Type of protection	Surge protection
Weight	80 g

Inline potentials

Main circuit supply U_M	120 V AC (nominal value)
Power supply at U_M	8 A (nominal value)

Classifications

eCl@ss

eCl@ss 4.0	27250315
eCl@ss 4.1	27250304
eCl@ss 5.0	27250304
eCl@ss 5.1	27242610
eCl@ss 6.0	27242610
eCl@ss 7.0	27242610
eCl@ss 8.0	27242610

ETIM

ETIM 2.0	EC001433
ETIM 3.0	EC001600
ETIM 4.0	EC001600
ETIM 5.0	EC001600

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43201404
UNSPSC 13.2	43201404

Approvals

Approvals

Approvals

UL Recognized / cUL Recognized / EAC / cULus Recognized


Inline terminal - IB IL 120 PWR IN-PAC - 2861454


Approvals

Ex Approvals


Approvals submitted

Approval details

UL Recognized 

cUL Recognized 

EAC

cULus Recognized 

Accessories

Accessories

Connector set

Connector set - IB IL AC-PWR-IN-PLSET - 2740180



Connector set, for Inline input terminal blocks with AC voltage

Labeling panel

Labeling field - IB IL FIELD 2 - 2727501

Labeling field, width: 12.2 mm



Terminal marking

Inline terminal - IB IL 120 PWR IN-PAC - 2861454

Accessories


Insert strip - ESL 62X10 - 0809492

Insert strip, Sheet, white, unlabeled, can be labeled with: Office printing systems, Plotter: Laser printer, Mounting type: Insert, Lettering field: 62 x 10 mm



Drawings

Connection diagram



Dimensioned drawing

